

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.2895 cubic feet per second, but not to exceed 345.4 acre-feet annually, and not to exceed a yearly duty of 5.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

March 12, 2002

Proof of completion of work shall be filed before:

April 12, 2002

Water must be placed to beneficial use on or before:

March 12, 2003

Proof of the application of water to beneficial use shall be filed on or before:

April 12, 2003

Map in support of proof of beneficial use shall be filed on or before:

April 12, 2003

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 21st day of, September, A.D. 2001


State Engineer




Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____



**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAR 23 2000

Returned to applicant for correction _____

Corrected application filed _____

Map filed APR 15 2000

The applicant **Rockview Farms, Inc., A California corporation**, hereby makes application for permission to change the **Point of Diversion and Place of Use** for a portion of water heretofore appropriated under **Permit 19197, Certificate 6675**

1. The source of water is **an underground source in Nye County, Nv**
2. The amount of water to be changed **1.2895 CFS.,**
3. The water to be used for **Irrigation and Domestic**
4. The water heretofore permitted for **Irrigation and Domestic**
5. The water is to be diverted at the following point **within the NW.¼ NW.¼ of Section 15, T.17S., R.49E., M.D.M., or at a point from which the NW. corner of said Section 15 bears N. 46° 14' 00" W., a distance of 142 feet**
6. The existing permitted point of diversion is located within **within the NW.¼ SE.¼ of Section 22, T.16S., R.49E., M.D.M., or at a point from which the S.¼ corner of said Section 22 bears S. 00° 19' 10" W., a distance of 1370 feet**
7. Proposed place of use **113 acres within the NW.¼ of Section 15, T.17S., R.49E., M.D.M.**
8. Existing place of use **see accompanying map for S.½, Sec. 22, T.16S., R.49E., M.D.M. (4.85 acres within APN. 19-541-03, 4.85 acres within APN. 19-541-04 NE¼ SW¼)**

2.27	"	"	"	"	"	15,	1.99	"	"	"	"	"	16	SW¼	SE¼
1.93	"	"	"	"	"	17,)	(8.94	"	"	"	"	"	18	SE¼	SE¼)
30.61	"	"	"	"	"	23,	13.64	"	"	"	"	"	24	N½	SE¼)

Total 69.08 acres
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **A 12" Dia. X 250' deep driven well, cased all the way, with a 75 hp. submersible pump**
12. Estimated cost of works **\$40,000**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**
15. Remarks: **For Item 8. regarding APN 19-541-23 is intended to strip 20 acres within the NE¼ SE¼ and 10.61 acres within the NW¼ SE¼ all in Section 22 T.16S., R.49E., MDM.**

By **Lisle Lowe (agent)**
s/Lisle Lowe
HCR. 69, Box 400-E
Amargosa Valley, Nv, 89020

Compared my/gkl ds/cm.f

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 19197, Certificate 6675, is issued subject to the terms and conditions imposed in said Permit 19197, Certificate 6675, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 65327, 66201, 66787, 66788, and 66789 shall not exceed 574.38 acre-feet annually for the irrigation of 114.876 acres within the described place of use.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

(CONTINUED ON PAGE 3)